
Set includes:

2x 24x




Use one 10mm wrench for assembly.




It's easier to assemble the product with a second person for help.

Set the first cast iron support straight and attach the first plank with a pair of bolts, washers and nuts as shown on the image to the right. NOTICE: For optimal performance and your own safety, please adhere to the assembly procedure as described in this manual.



Use one 10mm wrench for assembly.




It's easier to assemble the product with a second person for help.


Set the second cast iron support straight and attach the first plank with a pair of bolts, washers and nuts as shown on the image to the right.




Use one 10mm wrench for assembly.




It's easier to assemble the product with a second person for help.




Use one 10mm wrench for assembly.




It's easier to assemble the product with a second person for help.




Use one 10mm wrench for assembly.



It's easier to assemble the product with a second person for help.




Use one 10mm wrench for assembly.



It's easier to assemble the product with a second person for help.




Use one 10mm wrench for assembly.



It's easier to assemble the product with a second person for help.



Use one 10mm wrench for assembly.



It's easier to assemble the product with a second person for help.

Assembly is complete.

The bench should be placed on a leveled surface. Wash with a damp sponge only.

Yearly maintainance:

- Smooth the surface of planks
- Paint the planks with stain colour
- Planks have been treated with a base coat of stain by Sudwest (teak colour) It is advised to continue maintenance with the same brand
- Make sure all nuts are tightened securely

